

208~230V Air Handler


Model:GMV-ND12A/A-T(U)



Specifications	Unit	Parameter
Model	—	GMV-ND12A/A-T(U)
Performance		
Rated Cooling Capacity	kBtu/h	12
Rated Heating Capacity	kBtu/h	13.5
Sound Pressure Level	dB(A)	32/34/36
Electrical Data		
Power Supply	Voltage,Phase, Hertz	208/230,1,60
Maximum Overcurrent Protection (MOP)	A	15
Minimum Circuit Amps (MCA)	A	1.4
Fan		
Type × Quantity	—	Centrifugal ×1
Air Flow Volume	CFM	324/383/559
ESP	In.W.G	0.1/0~0.3
Fan Motor Running Current	A	1.1
Fan Motor Power Output	W	55
Refrigerant Piping		
Connection Pipe	Gas(mm/inch)	Φ12.7/Φ1/2
	Liquid(mm/inch)	Φ6.35/Φ1/4
Connection method	—	Brazing Connection
Refrigerant	—	R410A
Dimension/Weight		
Dimensions (H×W×D)	mm/inch	1105×460×540/ (43-1/2×18-1/8×21-1/4)
Net Weight	kg/lbs	54/119
Other		
Safety Certification	—	ETL

Job Name:		Date:	
System Reference No.:			
Engineer Signature:			

Outline and Physical Dimensions of GMV-ND12A/A-T(U).



Unit:mm(in.)

